

LOSS-IN-WEIGHT MICRO SYSTEM

**EFFICIENT,
FAST &
ACCURATE
BATCHING**

**ALL INGREDIENTS ARE
WEIGHED AND ADDED
AUTOMATICALLY!**

No drugs or additives are handled manually with the Loss-In-Weight system.



Cover removed for illustration purposes

**ONLY
NTEP LAB
CERTIFIED**
LOSS-IN-WEIGHT
SYSTEM IN THE
COUNTRY

SUDENGA FEED PROCESSING
EQUIPMENT
**NEED
FOR FEED**

■ **DECREASED BATCHING TIME**

All ingredients are weighed and added simultaneously.

■ **INVENTORY ACCURACY**

Continuous inventory is monitored quickly, efficiently, and accurately.

■ **LOWER INSTALLATION HEIGHT**

Less space required than conventional micro systems for more design and installation flexibility.

LOSS-IN-WEIGHT MICRO SYSTEM



EASY CALIBRATION

Remove single panel and use the provided shelf panel and calibration weights for quick and easy scale calibration.



VIEW OF BACK SIDE



PROXIMITY SWITCH

Proximity sensors that monitor if hopper lid is open. If lid is open the sensor sends a signal to stop the batching process for that particular hopper until the lid is closed and batching system verifies hopper weight and then continues batching.

(Grommet removed for illustration purposes.)



SERVICE AREA FOR LOADCELL



Large access panel for servicing the load cells. Single loadcell on discharge side and two loadcells on motor/gearbox side.



DISCHARGE

Discharge with low maintenance UHMW discharge bearing.

LINE DRAWING & DIMENSIONS



CLOSE UP OF THE MOTOR GEARBOX, & JUNCTION BOX

Sudenga
INDUSTRIES, INC.

1-888-SUDENGA | 1-712-475-3301 | Fax: 1-712-475-3320
PO Box 8, 2002 Kingbird Ave., George, IA 51237 USA
sales@sudenga.com | www.sudenga.com